Author index

ABENS, J. (*see* WESTLIND-DANIELSSON, A.)

ABILDGAARD, U. Angiotensin II and tubular transport responses to renal venous pressure elevation in dog kidney, 257

ABILDGAARD, U., AMTORP, O., HOLSTEIN-RATHLOU, N.-H., AGERSKOV, K., SJØNTOFT, E., CHRISTENSEN, N. J. & LEYSSAC, P.P. Effect of renal venous pressure elevation on tubular sodium and water reabsorption in the dog kidney, 135

ABORG, C.-H. (*see* UVNÄS, U.)

ADEM, A. (*see* HÄRFSTRAND, A.)

AGERSKOV, K. (*see* ABILDGAARD, U.)

AGNATI, L.F. (*see* VON EULER, G.)

AGNATI, L.F. (*see* FARABEGOLI, C.)

AGNATI, L.F. (*see* FUXE, K.)

AGNATI, L. (*see* HÄRFSTRAND, A.)

AGNATI, L.F. (*see* JANSON, A.M.)

AHRÉN, B. (*see* SKOGLUND, G.)

AHRÉN, B. & TABORSKY, G.J., (Jr). Effects of pancreatic noradrenaline infusion on basal and stimulated islet hormone secretion in the dog, 143

ALARI, L. (*see* POST, C.)

ALMASAN, K. (*see* ARONSSON, M.)

AMTORP, O. (*see* ABILDGAARD, U.)

ANDELL, S. (*see* WESTLIND-DANIELSSON, A.)

ANDERSEN, J.S. (*see* RASMUSSEN, S.N.)

ANDERSSON, G. & JENNISCHE, E. IGF-I immunoreactivity is expressed by regenerating renal tubular cells after ischaemic injury in the rat, 453

ANDERSSON, I.K., EDWALL, D., NORSTEDT, G., ROZELL, B., SKOTTNER, A. HANSSON, H.-A. Differing expression of insulin-like growth factor I in the developing and in the adult rat cerebellum, 167

ANDERSSON, K. (*see* HÄRFSTRAND, A.)

ANDERSSON, K.-E. (*see* FOVAEUS, M.)

ANDERSSON, K.-E. (*see* HØGESTÄTT, E.D.)

ANDERSSON, P.O. (*see* FOVAEUS, M.)

ÄNGGÅRD, A. (*see* LACROIX, J.S.)

APERIA, A. (*see* BERTORELLO, A.)

APERIA, A. (*see* LARSSON, S.H.)

ARFORS, K.-E. (*see* LEY, K.)

ARNALA, I. (*see* JURVELIN, J.)

ARONSSON, M., ALMASAN, K., FUXE, K., CINTRA, A., HÄRFSTRAND, A., GUSTAFSSON, J.-Å. & GANTEN, D. Evidence for the existence of angiotensinogen mRNA in magnocellular paraventricular hypothalamic neurons, 585.

ARVIDSSON, I. (*see* JANSSON, E.)

AUGUSTINSSON, O. (*see* FORSLID, A.)

AUKLAND, K. (*see* WIGG, H.)

BARTFAI, T. (*see* IVERFELDT, K.)

BARTFAI, T. (*see* WESTLIND-DANIELSSON, A.)

BECH, C. (*see* JOHANNESEN, H.)

BECH, C., JOHANSEN, K. & NICOL, S. Gas exchange during high-frequency ventilation in the pigeon (*Columba livia*), 217

BECKER, K. (*see* NYLEN, E.S.)

BERGSTRÖM, R. (*see* HVARFNER, A.)

BERTORELLO, A. & APERIA, A. Both DA_1 and DA_2 receptor agonists are necessary to inhibit NaKATPase activity in proximal tubules from rat kidney, 441

BÖÖK, K. (*see* SYLVÉN, C.)

BRISMAR, T. & COLLINS, V.P. Inward K-current in human malignant glioma cells: possible mechanism for K-homeostasis in the brain, 259

BROCH, O.J. (*see* EIDE, P.K.)

BUCKLEY, G.B. (*see* HAGLUND, U.F.)

BUGGE, J.F., STOKKE, E.S. & KIIL, F. Properties of the macula densa mechanism for renin release in the dog, 401

BURHOL, P.G. (*see* JENSSEN, T.G.)

BUTCHER, P. (*see* SJÖLVALL, H.)

CELSI, G. (*see* LARSSON, L.)

CHANG, J.-Y., HARDEBO, J.E. & OWMAN, CH. Differential vasomotor action of noradrenaline, seortonin, and histamine in isolated basilar artery from rat and guinea-pig, 91

CHRISTENSEN, N. (*see* ABILDGAARD, U.)

CIMINO, M. (*see* FARABEGOLI, C.)

CINTRA, A. (*see* ARONSSON, M.)

CINTRA, A. (*see* JANSON, A.M.)

COLLINS, V.P. (*see* BRISMAR, T.)

DAHLBORN, K., HOLTENIUS, K. & OLSSON, K. Effects of intraruminal loads of saline or water followed by voluntary drinking in the dehydrated lactating goat, 67

DAHLIN, L.B. (*see* HANSSON, H.A.)

DAHLÖF, C. (*see* DAHLÖF, P.)

DAHLÖF, P., PERSSON, K., LUNDBERG, J.M. & DAHLÖF, C. Neuropeptide Y (NPY) induced inhibition of preganglionic nerve stimulation evoked release of adrenalin and noradrenaline in the pithed rat, 51

EDMAN, K.A.P. (*see* JOSEPHSON, R.K.)

EDWALL, D. (*see* ANDERSSON, I.K.)

EDWALL, D. (*see* HANSSON, H.-A.)

EIDE, P.K., HOLE, K. & BROCH, O.J. Increased behavioural response to intrathecal substance P after intracerebroventricular 5,7-dihydroxy-

tryptamine but not after p-chlorophenylalanine, 419
ELAM, M. (*see* OBERLE, J.)
ELLIGNSEN, Ø., VENGEN, Ø., SEJERSTED, O.M. & ILEBEKK, A. Temporal relationship of contractility and myocardial potassium balance following beta-adrenergic stimulation of the *in situ* pig heart, 241
EMÅS, S. (*see* WALLIN, C.)
ENEROTH, P. (*see* VON EULER, G.)
ERIKSSON, E., (*see* JANSSON, E.)
ERIKSSON, L., KOKKONEN, U.-M., MÄKELÄ, T.-L. & OLSSON, K. Renal responses to intracerebroventricular infusions of atrial natriuretic peptide in the conscious goat, 121
VON EULER, G. (*see* FUXE, K.)
VON EULER, G., FUXE, K., HANSSON, T., ENEROTH, P., AGNATI, L.F., HÄRFSTRAND, A. & GUSTAFSSON, J.-Å. Effects of acute haloperidol treatment on regional catecholamine levels and utilization in rats exposed to toluene, 199

FARABEGOLI, C., MERLO PICH, E., CIMINO, M., AGNATI, L.F., & FUXE, K. Chronic uridine treatment reduces the level of [^{3}H] spirerone-labelled dopamine receptors and enhances their turnover rate in striatum of young rats: relationship to dopamine-dependent behaviour, 209
FJAERTOFT, M. (*see* WIGG, H.)
FORSLID, A. & AUGUSTINSSON, O. Acidosis, hypoxia and stress hormone release in response to one minute inhalation of 80% CO_2 in swine, 223
FOVAEUS, M., ANDERSSON, K.-E., ANDERSSON, P.O., MALMGREN, A. & SJÖGREN, C. Tetrodotoxin-resistant contractions induced by electrical stimulations of bladder muscle from man, rabbit and rat, 233
FRANCO-CERECEDA, A., LUNDBERG, J.M., SARIA, A., SCHREIBMAYER, W. & TRITTHART, H.A. Calcitonin gene-related peptide: release by capsaicin and prolongation of the action potential in the guinea-pig heart, 181
FREDHOLM, B.B. (*see* WENNMALM, M.)
FREDHOLM, M. (*see* WENNMALM, M.)
FUGL-MEYER, A.R. (*see* JOHANSSON, C.)
FUGL-MEYER, A.R. (*see* LORENTZON, R.)
FUXE, K. (*see* ARONSSON, M.)
FUXE, K. (*see* VON EULER, G.)
FUXE, K. (*see* FARABEGOLI, C.)
FUXE, K. (*see* HÄRFSTRAND, A.)
FUXE, K. (*see* JANSON, A.M.)
FUXE, K., VON EULER, G. & AGNATI, L.F. Reduction of [^{3}H]nicotine binding by clonidine in membrane preparations of the rat cerebral cortex, 265
FUXE, K. (*see* ÖGREN, S.O.)

GABRIELSEN, G.W. (*see* STEEN, J.B.)
GAFVELS, M., OLOFSSON, J. NORJAVAARA, E. & SELSTAM, G. Hormonal influence on utero-ovarian blood flow distribution in the mid-luteal pseudopregnant rat, 329
GANTEN, D. (*see* ARONSSON, M.)
GIERAN, O., MOLAUG, M. & ILEBEKK, A. Dynamics of the interventricular septum and ventricular free walls during regional ischaemia in open-chest dogs, 505
GOLDSTEIN, M. (*see* JANSON, A.M.)
GOLLVIK, L., KELLERTH, J.-O. & ULFHAKE, B. The effects of tenotomy and overload on the postnatal development of muscle fibre histochemistry in the cat triceps surae, 353
GONG, Q.H., RYDQVIST, B. & JIANG, M.S. Presynaptic site of action of the toxic component AgTx from the venom of the Pit Viper (*Agkistrodon halys* (Pall.)) on the frog nerve-muscle preparation, 115
GUSTAFSSON, J.-A. (*see* VON EULER, G.)
GUSTAFSSON, L.E. (*see* WIKLUND, N.P.)

HÄGGMARK, S. (*see* JOHANSSON, C.)
HAGLUND, U.F., MORRIS, J.B. & BUCKLEY, G.B. Haemodynamic characterization of the isolated rat jejunum, 151
HALLELAND, E.G. (*see* WIIG, H.)
HANSSON, H.-A. (*see* ANDERSSON, I.K.)
HANSSON, H.A., DAHLIN, L.B., LÖWENADLER, B., LUNDBORG, G., PALEUS, S. & SKOTTNER, A. Transient increase in insulin-like growth factor I immunoreactivity in rat peripheral nerves exposed to vibrations, 35
HANSSON, H.-A., EDWALL, D., LÖWENADLER, B., NORSTEDT, G., PALEUS, S. & SKOTTNER, A. Insulin-like growth factor I in the pancreas of normal and diabetic adult rats, 569.
HANSSON, H.-A., HELANDER, H.F., HOLMGREN, A. & ROZELL, B. Thioredoxin and thioredoxin reductase show function-related changes in the gastric mucosa – immunohistochemical evidence, 313
HANSSON, T. (*see* VON EULER, G.)
HARALDSSON, B. (*see* JOHANSSON, B.R.)
HARALDSSON, B. & RIPPE, B. Transcapillary clearance of albumin in rat skeletal muscle monitored by external detection: effects of alterations in capillary surface area, 495
HARDEBO, J.E. (*see* CHANG, J.A.)
HÄRFSTRAND, A., ADEM, A., FUXE, K., AGNATI, L., ANDERSSON, K. & NORDBERG, A. Distribution of nicotinic cholinergic receptors in the rat tel- and diencephalon. A quantitative receptor autoradiography study using ^{3}H-acetylcholine, ^{125}I-bungarotoxin and ^{3}H-nicotine, 1
HARFSTRAND, A. (*see* ARONSSON, M.)
HÄRFSTRAND, A. (*see* VON EULER, G.)
HASSI, J. (*see* LEPPÄLUOTO, J.)
HAUKLAND, H.H. (*see* JENSSEN, T.G.)
HEDQVIST, P. (*see* WENNMALM, M.)
HELANDER, H.F. (*see* HANSSON, H.-A.)
HELMINEN, H.J. (*see* JURVELIN, J.)

HEMLIN, M. (*see* SJÖVALL, H.)
HILAKIVI, I. (*see* HILAKIVI, L.A.)
HILAKIVI, L.A., TAIRA, T. & HILAKIVI, I. Early postnatal deprivation of active sleep with desipramine or zimeldine impairs later behavioural reactivity to auditory stimuli in rats, 191
HJEMDAHL, P. (*see* PERNOW, J.)
HØGESTÄTT, E.D., JOHANSSON, O., ANDERSSON, K.-E. & KULLENDORFF, C.-M. Influence of renal denervation on vascular responsiveness of isolated rat intravenal arteries, 59
HÖKFELT, T. (*see* POST, C.)
HOLE, K. (*see* EIDE, P.K.)
HOLM, B. (*see* SCHUITEMA, K.)
HOLMGREN, A. (*see* HELANDER, H.F.)
HOLST, N., JENSSEN, T.G., BURHOL, P.G. & JORDE, R. Gastrointestinal regulatory peptides during oxytocin infusion in post-term pregnancies, 23
HOLTENIUS, K. (*see* DAHLBORN, K.)
HUTTUNEN, P. (*see* LEPPÄLUOTO, J.)
HVARFNER, A., BERGSTRÖM, R., MÖRLIN, C., THEODORSSON, E. & LJUNGHALL, S. The calcitonin gene-related peptide (CGRP) response to intravenous calcium is related to blood pressure, 439

ILEBEKK, A. (*see* ELLINGSEN, Ø.)
ILEBEKK, A. (*see* GIERAN, O.)
IVERFELDT, K., ÖGREN, S.-O. & BARTFAI, T. Substance P receptors in the rat spinal cord; the effect of GTP and of chronic antidepressant treatment, 175

JANSON, A.M., AGNATI, L.F., FUXE, K. CINTRA, A., SUNDSTRÖM, E., ZINI, I., TOFFANO, G. & GOLDSTEIN, M. GM1 ganglioside protects against the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced degeneration of nigrostriatal dopamine neurons in the black mouse, 587.
JANSSON, E. (*see* NORMAN, B.)
JANSSON, E. (*see* SYLVÉN, C.)
JANSSON, E., SYLVÉN, C., ARVIDSSON, I. & ERIKSSON, E. Increase in myoglobin content and decrease in oxidative enzyme activities by leg muscle immobilization in man, 515
JÄRVILEHTO, M. (*see* WECKSTRÖM, M.)
JENNISCHE, E. (*see* ANDERSSON, G.)
JENSEN, F.B. Red-cell pH in tench. Interacting effects of cellular nucleoside triphosphates, Hb-oxygenation and extracellular pH, 431
JENSSEN, T.G., HAUKLAND, H.H. & BURHOL, P.G. Brain–gut peptides in sauna-induced hyperthermia, 519
JENSSEN, T.G. (*see* HOLST, N.)
JIANG, M.S. (*see* GONG, Q.H.)
JIVEGÅRD, L., THUNE, A. & SVANVIK, J. Intraluminal prostaglandin E_2 affects gallbladder function by intramural nerves in the anaesthetized cat, 549
JOHANNESEN, H. & BECH, C. Parabronchial oxygen extraction in ducks during selective cooling of the spinal cord, 563
JOHANSEN, K. (*see* BECH, C.)
JOHANSSON, B.R. & HARALDSSON, B. Morphology of the isolated rat hindquarter preparation: tissue preservation, perfusion heterogeneity and a note on the effect of fixative osmolality, 391
JOHANSSON, C. (*see* LORENTZON, R.)
JOHANSSON, C. (*see* SJÖSTROM, M.)
JOHANSSON, C., LORENTZON, R., RASMUSON, S., REIZ, S., HAGGMARK, S., NYMAN, H., & FUGL-MEYER, A.R. Peak torque and OBLA running capacity in male orienteers, 525
JOHANSSON, O. (*see* HØGESTÄTT, E.D.)
JOHANSSON, O., VAALASTI, A., TAINIO, H., LJUNGBERG, A. Immunohistochemical evidence of galanin in sensory nerves of human digital skin, 261
JORDE, R. (*see* HOLST, N.)
JOSEPHSON, R.K. & EDMAN, K.A.P. The consequences of fibre heterogeneity on the force–velocity relation of skeletal muscle, 341
JUEL, C. Intracellular pH recovery and lactate efflux in mouse soleus muscles stimulated *in vitro* – the involvement of sodium/proton exchange and a lactate carrier, 363
JURVELIN, J., LAHTINEN, T., KIVIRANTA, I., ARNALA, I., LAPPA-LAINE, R., TAMMI, M. & HELMINEN, H.J. Blood flow, histomorphology and elemental composition of the canine femur after physical training or immobilization, 385

KAHAN, T. (*see* PERNOW, J.)
KANNISTO, P. (*see* SCHMIDT, G.)
KARLSSON, T. (*see* OBERLE, J.)
KAUPPILA, A. (*see* KIVELÄ, A.)
KELLERTH, J.-O. (*see* GOLLVIK, L.)
KILL, F. (*see* BUGGE, J.F.)
KIVELÄ, A., KAUPPILA, A., YLÖSTALO, P., VAKKURI, O., & LEPPÄLUOTO, J. Seasonal, menstrual and circadian secretions of melatonin, gonadotrophins and prolactin in women, 321
KIVIRANTA, I. (*see* JURVELIN, J.)
KNIGGE, U. (*see* RASMUSSEN, S.N.)
KOKKONEN, U.-M. (*see* ERIKSSON, L.)
KORHONEN, I. (*see* LEPPÄLUOTO, J.)
KOUVALAINEN, E. (*see* WECKSTRÖM, M.)

LACROIX, J.S., STJÄRNE, P., ÄNGGÅRD, A. & LUNDBERG, J.M. Sympathetic vascular control of the pig nasal mucosa: (I) increased resistance and capacitance vessel responses upon stimulation with irregular bursts compared to continuous impulses, 83
LAHTINEN, T. (*see* JURVELIN, J.)
LÄNNERGREN, J. (*see* WESTERBLAD, H.)
LAPPA-LAINEN, R. (*see* JURVELIN, J.)
LARSSON, L., CELSI, G. & MAUNSBACH, A.B. Correlation between single nephron glomerular filtration

rate and filtration area in superficial glomeruli of developing rats, 413
LARSSON, S.H., APERIA, A. & LECHENE, C. Studies on terminal differentiation of rat renal proximal tubular cells in culture, ouabain sensitive Na and K transport, 129
LECHENE, C. (*see* LARSSON, S.H.)
LEPPÄLUOTO, J. (*see* KIVELÄ, A.)
LEPPÄLUOTO, J., KORHONEN, I., HUTTUNEN, P. & HASSI, J. Serum levels of thyroid and adrenal hormones, testosterone, TSH, LH, GH, and prolactin in men after a 2-h stay in a cold room, 543
LEY, K., LINDBOM, L. & ARFORS, K.-E. Haematocrit distribution in rabbit tenuissimus muscle, 373
LINDBOM, L. (*see* LEY, K.)
LINNOILA, R.I. (*see* NYLEN, E.S.)
LJUNGBERG, A. (*see* JOHANSSON, O.)
LJUNGHALL, S. (*see* HVARFNER, A.)
LÖNNERHOLM, G., MIDTVEDT, T., SCHENHOLM, M. & WISTRAND, P.J. Carbonic anhydrase isoenzymes in the caecum and colon of normal and germ-free rats, 159
LORENTZON, R. (*see* JOHANSSON, C.)
LORENTZON, R., JOHANSSON, C., SJÖSTRÖM, M. & FUGL-MEYER, A.R. Fatigue during dynamic muscle contractions in male sprinters and marathon runners. Relationships between performance, electromyographic activity, muscle cross-sectional area and morphology, 531
LORENTZON, R. (*see* SJÖSTROM, M.)
LÖWENADLER, B. (*see* HANSSON, H.-A.)
LUNDBERG, J.M. (*see* DAHLÖF, P.)
LUNDBERG, J.M. (*see* FRANCO-CERECEDA, A.)
LUNDBERG, J.M. (*see* LACROIX, J.S.)
LUNDBERG, J.M. (*see* PERNOW, J.)
LUNDBORG, B. (*see* HANSSON, H.A.)
LUNDQUIST, I. (*see* SKOGLUND, G.)

MÄKELÄ, T.-L. (*see* ERIKSSON, L.)
MALMGREN, A. (*see* FOVAEUS, M.)
MAUNSBACH, A.B. (*see* LARSSON, L.)
MERLO PICH, E. (*see* FARABEGOLI, C.)
MIDTVEDT, T. (*see* LÖNNERHOLM, G.)
MOLAUG, M. (*see* GIERAN, O.)
MÖRLIN, C. (*see* HVARFNER, A.)
MORRIS, J.B. (*see* HAGLUND, U.F.)

NICOL, S. (*see* BECH, C.)
NIELSEN, B.E. (*see* RASMUSSEN, S.N.)
NORDBERG, A. (*see* HÄRFSTRAND, A.)
NORJAVAARA, E. (*see* GAFVELS, M.)
NØRSTEDT, G. (*see* ANDERSSON, I.K.)
NORSTEDT, G. (*see* HANSSON, H.-A.)
NYLANDER, G. (*see* WALLIN, C.)
NYLÉN, E.S., LINNOILA, R.I. & BECKER, K.L. Prenatal cholinergic stimulation of pulmonary neuroendocrine cells by nicotine, 117
NYMAN, H. (*see* JOHANSSON, C.)

OBERLE, J., ELAM, M., KARLSSON, T. & WALLIN, B.G. Temperature-dependent interaction between vasoconstrictor and vasodilator mechanisms in human skin, 459
ÖGREN, S.-O. (*see* IVERFELDT, K.)
OLOFSSON, J. (*see* GAFVELS, M.)
OLSSON, K. (*see* DAHLBORN, K.)
OLSSON, K. (*see* ERIKSSON, L.)
OWMAN, CH (*see* CHANG, J.-Y.)
OWMAN, C. (*see* SCHMIDT, G.)

PALEUS, S. (*see* HANSSON, H.A.)
PALEUS, S. (*see* HANSSON, H.-A.)
PEDERSEN, O.S. & REICHELT, K.L. Increased calcium response to ADP in the blood platelets from women during ovulation compared with menstruation: cytoplasmic calcium measured with the fura-2 technique, 335
PERNOW, J., KAHAN, T., HJEMDAHL, P. & LUNDBERG, J.M. Possible involvement of neuropeptide Y in sympathetic vascular control of canine skeletal muscle, 43
PERSSON, K. (*see* DAHLÖF, P.)
POST, C., ALARI, L. & HÖKFELT, T. Intrathecal galanin increases the latency in the tail-flick and hot-plate tests in mouse, 583.

RASMUSON, S. (*see* JOHANSSON, C.)
RASMUSSEN, S.N., ANDERSEN, J.S., NIELSEN, B.E. & KNIGGE, U. Noradrenaline as a possible mediator in the renal response to vascular expansion with blood in the cat, 471
REICHELT, K.L. (*see* PEDERSEN, O.S.)
REIZ, S. (*see* JOHANSSON, C.)
RIPPE, B. (*see* HARALDSSON, B.)
ROZELL, B. (*see* ANDERSSON, I.K.)
ROZELL, B. (*see* HANSSON, H.-A.)
RYDQVIST, B. (*see* GONG, Q.H.)

SANDSTRÖM, P.E. & SEHLIN, J. Furosemide causes acute and long-term hyperglycaemia and reduces glucose tolerance in mice, 75
SARIA, A. (*see* FRANCO-CERECEDA, A.)
SCHENHOLM, M. (*see* LÖNNERHOLM, G.)
SCHMIDT, G., KANNISTO, P., OWMAN, C. & SJÖBERG, N.-O. Is serotonin involved in the ovulatory process of the rat ovary perfused *in vitro*? 251
SCHREIBMAYER, W. (*see* FRANCO-CERECEDA, A.)
SCHUITEMA, K. & HOLM, B. The role of different facial areas in eliciting human diving bradycardia, 119
SEHLIN, J. (*see* SANDSTRÖM, P.E.)
SEJERSTED, O.M. (*see* ELLINGSEN, Ø.)
SELSTAM, G. (*see* GAFVELS, M.)
SJÖBERG, N.-O. (*see* SCHMIDT, G.)
SJÖGREN, C. (*see* FOVAEUS, M.)

SJØNTOFT, E. (*see* ABILDGAARD, U.)
SJÖSTRÖM, M. (*see* LORENTZON, R.)
SJÖSTRÖM, M., JOHANSSON, C. & LORENTZON, R. Muscle pathomorpholgy in M. quadriceps of marthon runners. Early signs of strain disease or functional adaptation?, 537
SJÖVALL, H., BUTCHER, P. & HEMLIN, M. Baroreflex control of jejunal blood flow and fluid transport in cats; effects of yohimbine, an α_2-adrenergic antagonist, 271
SKARPHENINSSON, J.O. & THOREN, P. Endorphin mechanisms are responsible for the beneficial effects of opioid antagonists on cerebral function during relative cerebral ischaemia in rats, 281
SKOGLUND, G., LUNDQVIST, I. & AHRÉN, B. Selective α_2-adrenoreceptor activation by clonidine: effects on Ca^{2+} efflux and insulin secretion from isolated rat islets, 289
SKOTTNER, A. (*see* ANDERSSON, I.K.)
SKOTTNER, A. (*see* HANSSON, H.-A.)
SOLLEVI, A. (*see* NORMAN, B.)
STEEN, J.B. & GABRIELSEN, G.W. The development of homeothermy in common eider ducklings (*Somateria mollissima*), 557
STJÄRNE, P. (*see* LACROIX, J.S.)
STOCK, S. & UVNÄS-MOBERG, K. Increased plasma levels of oxytocin in response to afferent electrical stimulation of the sciatic and vagal nerves and in response to touch and pinch in anaesthetized rats, 29
STOKKE, E.S. (*see* BUGGE, J.F.)
SUNDSTRÖM, E. (*see* JANSON A.M.)
SVANVIK, J. (*see* JIVEGÅRD, L.)
SYLVÉN, C. (*see* JANSSON, E.)
SYLVÉN, C., JANSSON, E. & BÖÖK, K. Key enzymes of myocardial energy metabolism in patients with valvular heart disease — relation to left ventricular function, 267

TABORSKY, G.J. (JR). (*see* AHRÉN, B.)
TAINIO, H. (*see* JOHANSSON, O.)
TAIRA, T. (*see* HILAKIVI, L.A.)
TAMMI, M. (*see* JURVELIN, J.)
THEODORSSON, E. (*see* HVARFNER, A.)
THOREN, P. (*see* SKARPHENINSSON, J.O.)
THUNE, A. (*see* JIVEGÅRD, L.)
TOFFANO, G. (*see* JANSON, A.M.)
TRITTHART, H.A. (*see* FRANCO-CERECEDA, A.)

ULFHAKE, B. (*see* GOLLVIK, L.)
UVNÄS, U. & ÅBORG, C.-H. Catecholamines (CA) and adenosine triphosphate (ATP) are separately stored in bovine adrenal medulla, both in ionic linkage to granule sites, and *not* as a non-diffusible CA-ATP-protein complex, 297
UVNÄS-MOBERG, K. (*see* STOCK, S.)

VAALASTI, A. (*see* JOHANSSON, O.)
VAKKURI, O. (*see* KIVELÄ, A.)
VENGEN, Ø.A., (*see* ELLINGSEN, Ø.)

WALLIN, C., NYLANDER, G. & EMÅS, S. Acid in proximal and distal duodenum inhibits, but hyperosmolal solution does not inhibit pentagastrin-stimulated acid secretion in chronic gastric fistula in rats, 577
WALLIN, B.G. (*see* OBERLE, J.)
WECKSTRÖM, M., KOUVALAINEN, E. & JÄRVILEHTO, M. Non-linearities in response properties of insect visual cells: an analysis in time and frequency domain, 103
WENNMALM, M., FREDHOLM, B.B. & HEDQVIST, P. Adenosine as a modulator of sympathetic nerve-stimulation-induced release of noradrenaline in the isolated rabbit heart, 487
WESTLIND-DANIELSSON, A., ANDELL, S., ABENS, J. & BARTFAI, T. Neuropeptide Y and peptide YY inhibit adenylate cyclase activity in the rat striatum, 425
WIIG, H., HALLELAND, E.G., FJAERTOFT, M. & AUKLAND, K. Measurement of colloid osmotic pressure in submicrolitre samples, 445
WIKLUND, N.P. & GUSTAFSSON, L.E. Agonist and antagonist characterization of the P_2-purinoceptors in the guinea-pig ileum, 15
WISTRAND, P.J. (*see* LÖNNERHOLM, G.)

YLÖSTALO, P. (*see* KIVELÄ, A.)

ZINI, I. (*see* JANSON, A.M.)

Subject index

^{3}H-acetylcholine, 1
Acid–base status, 431
Acidosis, 223
Action potential, 181
Active Na transport, 129
Active sleep, 191
Acute and chronic denervation, 135
Adenine nucleotides, 15
Adenosine, 487
Adenosine diphosphate, 335
Adenylate cyclase, 425
Adrenalin, 51, 471, 543
Adrenergic nerves, 143
Adrenoceptors, 43
α-adrenoreceptors, 289
α_2-adrenoreceptors, 271
Agkistrodon toxin, 115
Albumin, 495
Aldosterone, 67
Alloxan, 569
Amine receptors, 91
Angiotensin, 59, 585
Angiotensin II, 257
Angiotensinogen mRNA, 587
Annual rhythm, 321
Anomalous rectification, 259
Antidepressant drugs, 175
Antidiuretic hormone, 329
Artificial perfusion, 391
Aspartate aminotransferase, 267, 515
ATP, 297
Atrial natriuretic peptide, 121
Autonomic nervous system, 549
Autoregulation, 401
Avian respiration, 563
Avian ventilation, 217

Basilar artery, 91
Bay K 8644, 233, 289
Behavioural reactivity, 195
Behavioural test, 419
Birds, 217
Bladder smooth muscle, 233
Blood flow, 329, 386
Blood glucose, 23
Blood platelets, 335
Blood pressure, 439
Body temperature, 543, 557
Bone, 385
Bone marrow, 385
Brain, 1, 199
^{125}I-α-bungarotoxin, 1

Caecum, 159
$^{45}Ca^{2+}$ efflux, 289
Calcitonin gene-related peptide (CGRP), 181, 439
Calcium, 335, 439
Calcium channels, 289
Canine gracilis muscle, 43
Capillary, 373, 391
Capillary permeability, 495
Capsaicin, 181
Carbonic anhydrase, 159
Cardiac ischaemia, 505
Carotid sinus, 271
Cat, 471
Catalepsy, 209
Catecholamines, 199, 223, 297
Cerebral cortex, 265
Cerebral ischaemia, 281
Chloralose anaesthesia, 471
P-chloromercuribenzene sulfonic acid, 15
Cholecystokinin, 519
Chromaffin granules, 297
Citrate synthase, 267, 515
Chlonidine, 265, 289
CO_2 anaesthesia, 223
Cold periphery, 557
Cold stress, 563
Colon, 159
Colloid osmotic pressure, 445
Compound eye, 103
Contraction, 115, 549
Coronary sinus, 241
Corticosterone, 199
Cortisol, 223
Convection, 495
Creatine kinase, 267
Creatine kinase isoenzymes, 515

D cell, 569
Denervation supersensitivity, 59
Dermatology, 261
Desensitization, 589
Desipramine, 191
Development, 167, 413
5,7-DHT, 419
Diabetes, 569
Differentiation, 167
Diving bradycardia, 119
Dog, 143, 257
Donnan distribution, 431
Dopamine, 59, 209, 587, 589
Dopamine receptor agonists, 441
Down, 557

Duodenal acidity, 577
Duodenal hyperosmolality, 577

Eider ducklings, 557
Electrical nerve stimulation, 29
Electrical stimulation, 233
Electromyography, 531
Electron microscopy, 391
Electron probe analysis, 129
Endorphins, 281
Endothelium, 91
Endurance, 531
Enzyme histocytochemistry, 531
Erythrocytic pH, 431
Ethacrynic acid, 401

Facial areas, 119
Fahaeus effect, 373
Fatigue, 531
Fluid balance, 67
Frank–Starling mechanism, 505
Frog muscle, 115, 341
FSH, 321
Fura-2, 335
Furosemide, 75

Galanin, 583
Gallbladder, 549
Gastric acid, 577
Gastric fistula, 577
Gastric inhibitory polypeptide, 23
Gastric mucosa, 313
Gastrocnemius, 353
Germ-free, 159
Glomerular basement area, 413
Glomerular filtration rate, 135, 413
Glucagon secretion, 143
Glucose, 271, 519
Glucose tolerance, 75
GM_1, 587
Guinea-pig, 15, 91
Guinea-pig heart, 181

Haematocrit, 373
Haemodynamics, 151
Haemorrhage, 271, 281
Haldane effect, 431
Haloperidol, 199
Hatching, 557
High-frequency ventilation, 217
Histamine, 91
Histochemistry, 353
Histocytochemistry, 537
Homeothermy, 557
Human, 119, 259, 321
Human chorionic gonadotrophin, 329
Human myocardium, 267
Human skeletal muscle, 515

5-hydroxytryptamine, 59, 91, 251, 419
Hypercapnia, 223
Hyperkalaemia, 223
Hypophyseal hormones, 199
Hypothalamus, 585
Hypothermia, 543
Hypoxaemia, 223

IGF-I, 35, 167, 453
Ileum, 15
Immobilization, 385
Immunocytochemistry, 167
Immunohistochemistry, 261, 313
Indomethacin, 401
Inhibition, 577
In situ hybridization, 585
Insulin, 23, 519
Insulin-like growth factor I, 3, 569
Insulin secretion, 75, 143, 289
Interventricular septum, 505
Intestinal transport, 271
Intracellular Na, K and Cl, 129
Intrathecal, 583
Intravital microscopy, 373
In vitro, 289
In vivo, 143
Inward rectification, 259
Ionic exchange, 297
Ischaemia, 453
Islets of Langerhans, 289, 569
Isoenzymes, 159, 267
Isokinetic, 525
Isoproterenol, 241, 401

Jejunum, 271

K-currents, 259
Kidney, 121, 413, 453, 471
Kidney tubules, 441
Knee surgery, 515

Lactate carrier, 363
Lactate dehydrogenase, 267, 515
Lateral inhibition, 103
Left anterior descending coronary artery occlusion, 505
Left ventricular angiography, 267
LH, 251, 321
Light, 321
Lithium clearance, 135
Locomotor activity, 209

Macromolecules, 495
Malignant glioma, 259
Man, 233
Marathon, 537
Maximum velocity of shortening, 341
Membrane transport, 363

Menstrual cycle, 335
α-methylene adenosine 5′-diphosphate, 15
β-methylene adenosine 5′-diphosphate, 15
α-methylene adenosine 5′-triphosphate, 15
β-methylene adenosine 5′-triphosphate, 15
Mice, 419,
Milk secretion, 67
Mineral, 385
Morphometry, 385
Motilin, 23, 519
Mouse, 75, 583, 587, 589
MPTP, 587, 589
mRNA hybridization, 167
Muscle, 537
Muscle contraction, 525, 531
Muscle fibre, 537
Muscle mechanics, 341
Myocardial K^+ balance, 241
Myoglobin, 267

NaKATPase, 441
NaK pump, 129
Natriuretic factors, 471
Nerve cell, 167
Nerve fibres, 261
Nerve stimulation, 487
Network Fahraeus effect, 373
Neuroglia, 167
Neuropeptide Y, 43, 51, 59, 425
Neuropeptide Y receptors, 425
Nicotine, 117, 589
[^{3}H]nicotine, 1
[^{3}H]nicotine binding, 265
Nicotinic receptors, 1
Nifedipine, 233, 251
Nociception, 419
Nociceptive stimuli, 29
Noradrenaline, 43, 51, 59, 83, 91, 329, 471, 487, 543
NTP, 431

OBLA, 525
Ontogeny, 191
Open-field behaviour, 191
Opiod antagonists, 281
Orienteering, 525
Ovary, 251, 329
Overload, 353
Ovulation, 251
Oxygen consumption, 557
Oxygen extraction, 563
Oxytocin, 23

Pain, 583
Pancreas, 569
Pancreatic polypeptide, 23, 519
Panting, 217
Paracrine/autocrine secretion, 569
Pathomorphology, 537
PCPA, 419
Pentagastrin, 577
Peptides, 261, 549, 583
Peptide YY, 425
Phenoxybenzarine, 83
Phentolamine, 135
Phenylephrine, 289
Phosphofructokinase, 267, 515
Phospholipase A_2, 115
Photoreceptor, 103
pH regulation, 363
pH-sensitive microelectrodes, 363
Physical training, 385
Pigeon, 217
Pig nasal mucosa, 83
Pithed rat, 57
Pituitary hormones, 543
Plantar nerve, 35
Plasma levels of oxytocin, 29
Plasma renin activity, 67
Postischaemic reperfusion injury, 151
Potassium-sensitive mini-electrode, 241
Pregnancy, 23
Prejunctional, 43
Prenatal, 117
Pressure transducer, 445
Primary cell culture, 129
Propranolol, 401
Prostaglandin E_2, 549
Prostaglandin $F_{2\alpha}$, 59
Protection, 589
Proximal tubule ontogeny, 129
Pulmonary neuroendocrine cells, 117
P_2-purinoceptors, 15

Quantitative receptor autoradiography 1

Rabbit, 233
Rabbit heart, 487
Rat, 1, 59, 91, 291, 199, 233, 289, 453, 577
Rat cerebellum, 167
Rat intestine, 151
Rat striatum, 425
Reactive depression, 191
Receptors, 175
Receptor turnover, 209
Recruitment, 495
Regeneration, 453
Regional renal blood flow, 471
Release, 297
Renal artery, 59
Renal blood flow, 135
Renal venous constriction, 135
Renal venous pressure, 257
Right coronary artery occlusion, 505
Right ventricular function, 505
Running, 525, 537

Sauna, 519
Schwann cell, 35
Sciatic activation, 29
Sciatic nerve, 35
Secretin, 23
Secretion, 313, 549
Serum, 321
Serum glucose, 75
Serum potassium, 75
Skeletal muscle, 373, 391, 495
Skeletal muscle fibre, 341
Skin, 261, 459
Smooth muscle, 15
Soleus, 353
Somatomedin, 167
Somatomedin C, 35, 453
Somatosensory evoked potentials, 281
Somatostatin, 23, 519
Somatostatin secretion, 143
SP, 419
Spinal cord, 175, 563, 583
[^{3}H]spirerone binding, 209
Spontaneously hypertensive rats, 281
Static-charge-sensitive bed, 191
Stereology, 413
Stimulation pattern, 83
Storage, 297
Striatum, 209, 589
Stroke volume, 505
Substance P, 175
Substantia nigra, 587, 589
Subtypes, 1
Swine, 223
Sympathetic control, 43
Sympathetic nerves, 271
Sympathetic neurotransmission, 51
Systems analysis, 103

Temperature regulation, 557
Tenotomy, 353
Tetrodotoxin, 233
Theophylline, 487
Thermal conductance, 557
Thermoregulation, 563
Thioredoxin, 313
Thioredoxin reductase, 313
Thirst, 67
Thyroxine, 543
Tibial nerve, 35
Tissue hypoxia, 391
Toluene, 199
Touch, 29
Transfer function, 103
Transvese arteriole, 373
Triiodothyronine, 543
Tubular transport, 257
Two-pore model, 495

Ultrasonic recordings, 505
Uridine, 209
Uterus, 329

Vagal activation, 29
Vagotomy, 313
Valinomycin, 241
Vascular control, 83
Vasoactive intestinal polypeptide, 23, 519
Vasodilator reflex, 459
Vasomotor control, 459
Vasomotor effects, 91
Vibration injury, 35
Voltage clamp, 259
Volume expansion, 401
Volume natriuresis, 471

Water deprivation, 67
Water diuresis, 121

Zimeldine, 191

Contents

VOLUME 132, NUMBER 1, JANUARY 1988

HÄRFSTRAND, A., ADEM, A., FUXE, K., AGNATI, L. & ANDERSSON, K. Distribution of nicotinic cholinergic receptors in the rat tel- and di-ecephalon; a quantitive receptor autoradiographical study using [^{3}H]-acetylcholine, (α-^{125}I) bungarotoxin and (^{3}H) nicotine 1

WIKLUND, N. P. & GUSTAFSSON, L. Agonist and antagonist characterization of the P_2-purinoceptors in the guinea-pig ileum 15

HOLST, N., JENSSEN, T. G., BURHOL, P. G. & JORDE, R. Gastrointestinal regulatory peptides during oxytocin infusion in post-term pregnancies 23

STOCK, S. & UVNÄS-MOBERG, K. Increased plasma levels of oxytocin in response to afferent electrical stimulation of the sciatic and vagal nerves and in response to touch and pinch in anaesthetized rats 29

HANSSON, H.-A., DAHLIN, L. B., LÖWENADLER, B., LUNDBORG, G., PALEUS, S. & SKOTTNER, A. Transient increase in insulin-like growth factor I immunoreactivity in rat peripheral nerves exposed to vibrations 35

PERNOW, J., KAHAN, T., HJEMDAHL, P. & LUNDBERG, J. M. Possible involvement of neuropeptide Y in sympathetic vascular control of canine skeletal muscle 43

DAHLÖF, P., PERSSON, K., LUNDBERG, J. M. & DAHLÖF, C. Neuropeptide Y (NPY) induced inhibition of preganglionic nerve stimulation evoked release of adrenalin and noradraline in the pithed rat 51

HÖGESTÄTT, E. D., JOHANSSON, O., ANDERSSON, K.-E. & KULLENDORFF, C.-M. Influence of renal denervation on vascular responsiveness of isolated rat intrarenal arteries 59

DAHLBORN, K., HOLTENIUS, K. & OLSSON, K. Effects of intraruminal loads of saline or water followed by voluntary drinking in the dehydrated lactating goat 67

SANDSTRÖM, P.-E. & SEHLIN, J. Furosemide causes acute and long-term hyperglycaemia and reduced tolerance in mice 75

LACROIX J. S., STJÄRNE, P., ÄNGGÅRD, A. & LUNDBERG, J. M. Sympathetic vascular control of the pig nasal mucosa: (I) increased resistance and capacitance vessel responses upon stimulation with irregular bursts compared to continuous impulses 83

CHANG, J.-Y., HARDEBO, J. E. & OWMAN, CH. Differential vasomotor action of noradrenaline, serotonin, and histamine in isolated basilar artery from rat and guinea-pig 91

WECKSTRÖM, M., KOUVALAINEN, E. & JÄRVILEHTO, M. Non-linearities in response properties of insect visual cells: An analysis in time and frequency domain 103

Rapid communications

GONG, Q. H., RYDQVIST, B. & JIANG, M. S. Presynaptic site of action of the toxic component A_bTx from the venom of the Pit Viper (*Agkistrodon halys* (Pall.)) on the frog nerve–muscle preparation 115

NYLÉN, E. S., LINNOILA, R. I. & BECKER, K. L. Prenatal cholinergic stimulation of pulmonary–neuroendocrine cells by nicotine 117

SCHUITEMA, K. & HOLM, B. The role of different facial areas in eliciting human diving bradycardia 119

ERIKSSON, L., KOKKONEN, U.-M., MÄKELÄ, T.-L. & OLSSON, K. Renal responses to intracerebroventricular infusions of atrial natriuretic peptide in the conscious goat 121
Instructions to authors 125

VOLUME 132, NUMBER 2, FEBRUARY 1988

LARSSON, S. H., APERIA, A. & LECHENE, C. Studies on terminal differentiation of rat renal proximal tubular cells in culture: ouabain-sensitive Na and K transport 129
ABILDGAARD, U., AMTORP, O., HOLSTEIN-RATH-LOU, N.-H., AGERSKOV, K., SJØNTOFT, E., CHRISTENSEN, N. J. & LEYSSAC, P. P. Effect of renal venous pressure elevation on tubular sodium and water reabsorption in the dog kidney 135
AHRÉN, B. & TABORSKY, C. J. JR. Effects of pancreatic noradrenaline infusion on basal and stimulated islet hormone secretion in the dog 143
HAGLUND, U. H., MORRIS, J. B. & BULKLEY, G. B. Haemodynamic characterization of the isolated (denervated) parabiotically perfused rat jejunum 151
LÖNNERHOLM, G., MIDTVEDT, T., SCHENHOLM, M. & WISTRAND, P. J. Carbonic anhydrase isoenzymes in the caecum and the colon of normal and germ-free rats 159
ANDERSSON, I. K., EDWALL, D., NORSTEDT, G., ROZELL, B., SKOTTNER, A. & HANSSON, H.-A. Differing expression of insulin-like growth factor I in the developing and in the adult rat cerebellum 167
IVERFELDT, K., ÖGREN, S.-O. & BARTFAI, T. Substance P receptors in the rat spinal cord: the effect of GTP and of chronic antidepressant treatment 175
FRANCO-CERECEDA, A., LUNDBERG, J. M., SARIA, A., SCHREIBMAYER, W. & TRITTHART, H. A. Calcitonin gene-related peptide: release by capsaicin and prolongation of the action potential in the guinea-pig heart 181
HILAKIVI, L. A., TAIRA, T. & HILAKIVI, I. Early postnatal deprivation of active sleep with desipramine or zimeldine impairs later behavioural reactivity to auditory stimuli in rats 191
VON EULER, G., FUXE, K., HANSSON, T., ENEROTH, P., AGNATI, L. F., HÄRFSTRAND, A. & GUSTAFSSON, J.-Å. Effects of acute haloperidol treatment on regional catecholamine levels and utilization in rats exposed to toluene 199
FARABEGOLI, C., MERLO PICH, E., CIMINO, M., AGNATI, L. F. & FUXE, K. Chronic uridine treatment reduces the level of ^{3}[H]spiperone-labelled dopamine receptors and enhances their turnover rate in striatum of young rats: relationship to dopamine-dependent behaviours 209
BECH, C., JOHANSEN, K. & NICOL, S. Gas exchange during high-frequency ventilation in the pigeon (*Columba livia*) 217
FORSLID, A. & AUGUSTINSSON, O. Acidosis, hypoxia and stress hormone release in response to one-minute inhalation of 80% CO_2 in swine 223
FOVAEUS, M., ANDERSSON, K.-E., ANDERSSON, P. O., MALMGREN, A. & SJÖGREN, C. Tetrodotoxin-resistant contractions induced by electrical stimulation of bladder muscle from man, rabbit and rat 233
ELLINGSEN, Ø, VENGREN, Ø. A., SEJERSTED, O. M. & ILEBEKK. A. Temporal relationship of contractility and myocardial potassium balance following beta-adrenergic stimulation of the *in situ* pig heart 241
SCHMIDT, G., KANNISTO, P., OWMAN, C. & SJÖBERG, N.-O. Is serotonin involved in the ovulatory process of the rat ovary perfused *in vitro*?

Rapid communications

ABILDGAARD, U. Angiotension II and tubular transport responses to renal venous pressure elevation in the dog kidney 257

BRISMAR, T. & COLLINS, V. P. Inward K-current in human malignant glioma cells: possible mechanism for K-homeostasis in the brain 259

JOHANSSON, O., VAALASTI, A., TAINIO, H. & LJUNGBERG, A. Immunohistochemical evidence of galanin in sensory nerves of human digital skin 261

FUXE, K., VON EULER, G. & AGNATI, L. F. Reduction of ^{3}[H]nicotine binding by clonidine in membrane preparations of the rat cerebral cortex 265

Abstracts for the Scandinavian Physiological Society Meeting in Stockholm 24–25 October 1987.

VOLUME 132, NUMBER 3, MARCH 1988

SYLVÉN, C., JANSSON, E. & BÖÖK, K. Key enzymes of myocardial energy metabolism in patients with valvular heart disease: relation to left ventricular function 267

SJÖVALL, H., BUTCHER, P. & HEMLIN, M. Baroreflex control of jejunal blood flow and fluid transport in cats; effects of yohimbine, and α_2-adrenergic antagonist 271

SKARPHEDINSSON, J. O. & THORÉN, P. Endorphin mechanisms are responsible for the beneficial effects of opioid antagonists on cerebral function during relative cerebral ischaemia in rats 281

SKOGLUND, G., LUNDQUIST, I. & AHRÉN, B. Selective α_2-adrenoreceptor activation by clonidine: effects on $^{47}Ca^{2+}$ efflux and insulin secretion from isolated rat islets 289

UVNÄS, B. & ÅBORG, C.-H. Catecholamines (CA) and adenosine triphosphate (ATP) are separately stored in bovine adrenal medulla, both in ionic linkage to granule sites, and *not* as a non-diffusible CA–ATP–protein complex 297

HANSSON, H.-A., HELANDER, H. F., HOLMGREN, A. & ROZELL, B. Thioredoxin and thioredoxin reductase show function-related changes in the gastric mucosa: immunohistochemical evidence 313

KIVELÄ, A., KAUPPILA, A., YLÖSTALO, P., VAKKURI, O. & LEPPÄLUOTO, J. Seasonal, menstrual and circadian secretions of melatonin, gonadotrophins and prolactin in women 321

GÅFVELS, M., OLOFSSON, J., NORJAVAARA, E. & SELSTAM, G. Hormonal influence on utero-ovarian blood flow distribution in the mid-luteal pseudopregnant rat 329

PEDERSEN, O. S. & REICHELT, K. L. Increased calcium response to ADP in blood platelets from women during ovulation compared with menstruation: cytoplasmic calcium measured with the fura-2 technique 335

JOSEPHSON, B. K. & EDMAN, K. A. P. The consequences of fibre heterogeneity on the force–velocity relation of skeletal muscle 341

GOLLVIK, L., KELLERTH, J.-O. & ULFHAKE, B. The effects of tenotomy and overload on the postnatal development of muscle fibre histochemistry in the cat triceps surae 353

JUEL, C. Intracellular pH recovery and lactate efflux in mouse soleus muscles stimulated *in vitro*: the involvement of sodium/proton exchange and a lactate carrier 363

LEY, K., LINDBOM, L. & ARFORS, K.-E. Haematocrit distribution in rabbit tenuissimus muscle 373

JURVELIN, J., LAHTINEN, T., KIVIRANTA, I., ARNALA, T., LAPPALAINEN, R., TAMMI, M. & HELMINEN, H. J. Blood flow, histomorphology and elemental composition of the canine femur after physical training or immobilization 385

JOHANSSON, B. R. & HARALDSSON, B. Morphology of the isolated rat hindquarter preparation: tissue preservation, perfusion heterogeneity and a note on the effect of fixative osmolality 391
BUGGE, J. F., STOKKE, E. & KIIL, F. Properties of the macula densa mechanism for renin release in the dog 401
LARSSON, L., CELSI, G. & MAUNSBACH, A. B. Correlation between single nephron glomerular filtration rate and filtration area in superficial glomeruli of developing rats 413
EIDE, P. K., HOLE, K. & BROCH, O. J. Increased behavioural response to intrathecal substance P after intracerebroventricular 5,7-dihydroxytryptamine but not after *p*-chlorophenylalanine administration 419
WESTLIND-DANIELSSON, A., ANDELL, S., ABENS, J. & BARTFAI, T. Neuropeptide Y and peptide YY inhibit adenylate cyclase activity in the rat striatum 425
JENSEN, F. B. Red-cell pH in tench. Interacting effects of cellular nucleoside triphosphates, Hb-oxygenation and extracellular pH 431

Rapid communications
HVARFNER, A., BERGSTRÖM, R., MÖRLIN, C., THEODORSSON, E. & LJUNGHALL, S. The calcitonin gene-related peptide (CGRP) response to intravenous calcium is related to blood pressure 439
BERTORELLO, A. & APERIA, A. Both DA_1 and DA_2 receptor agonists are necessary to inhibit NaKATPase activity in proximal tubules from rat kidney 441

VOLUME 132, NUMBER, 4, APRIL 1988

WIGG, H., HALLELAND, E. G., FJAERTOFT, M. & AUKLAND, K. Measurement of colloid osmotic pressure in submicrolitre samples 445
ANDERSSON, G. & JENNISCHE, E. IGF-I immunoreactivity is expressed by regenerating renal tubular cells after ischaemic injury in the rat 453
OBERLE, J., ELAM, M., KARLSSON, T. & GUNNER WALLIN, B. Temperature-dependent interaction between vasoconstrictor and vasodilator mechanisms in human skin 459
RUSMUSSEN, S. N., ANDERSEN, J. S., NIELSEN, B. E. & KNIGGE, U. Noradrenaline as a possible mediator in the renal response to vascular expansion with blood in the cat 471
WENNMALM, M., FREDHOLM, B. B. & HEDQVIST, P. Adenosine as a modulator of sympathetic nerve-stimulation-induced release of noradrenaline from the isolated rabbit heart 487
HARALDSSON, B. & RIPPE, B. Transcapillary clearance of albumin in rat skeletal muscle monitored by external detection. Effects of alterations in capillary surface area 495
GEIRAN, O., MOLAUG, M. & ILEBEKK, A. Dynamics of the interventricular septum and ventricular free walls during regional ischaemia in open-chest dogs 505
JANSSON, E., SYLVÉN, C., ARVIDSSON, I. & ERIKSSON, E. Increase in myoglobin content and decrease in oxidative enzyme activities by leg muscle immobilization in man 515
JENSSEN, T. G., HAUKLAND, H. H. & BURHOL, P. G. Brain–gut peptides in sauna-induced hyperthermia 519
JOHANSSON, C., LORENTZON, R., RASMUSON, S., REIZ, S., HÄGGMARK, S., NYMAN, H. & FUGL-MEYER, A. R. Peak torque and OBLA running capacity in male orienteers 525

LORENTZON, R., JOHANSSON, C., SJÖSTRÖM, M., FAGERLUND, M. & FUGL-MEYER, A. R. Fatigue during dynamic muscle contractions in male sprinters and marathon runners: relationships between performance, electromyographic activity, muscle cross-sectional area and morphology 531

SJÖSTRÖM, M. JOHANSSON, C. & LORENTZON, R. Muscle pathomorphology in m. quadriceps of marathon runners. Early signs of strain disease or functional adaptation? 537

LEPPÄLUOTO, J., KORHONEN, I., HUTTUNEN, P. & HASSI, J. Serum levels of thyroid hormone and adrenal hormones, testosterone, TSH, LH, GH and prolactin in men after a 2-h stay in a cold room 543

JIVEGÅRD, L. THUNE, A. & SVANVIK, J. Intraluminal prostaglandin E_2 affects gallbladder function by activation of intramural nerves in the anaesthetized cat 549

STEEN, J. B. & GABRIELSEN, G. W. The development of homeothermy in common eider ducklings (*Somateria mollisima*) 557

JOHANNESEN, H. & BECH, C. Parabronchial oxygen extraction in ducks during selective cooling of the spinal cord 563

HANSSON, H.-A., EDWALL, D., LÖWENADLER, B., NORSTEDT, G., PALEUS, S. & SKOTTNER, A. Insulin-like growth factor I in the pancreas of normal and diabetic adult rats 569

WALLIN, C., NYLANDER, G. & EMÅS. S. Acid in proximal and distal duodenum inhibits, but hyperosmolal solution does not inhibit pentagastrin-stimulated acid secretion in chronic gastric fistula rats 577

Rapid communications

POST, C., ALARI, L. & HÖKFELT, T. Intrathecal galanin increases the latency in the tail-flick and hot-plate tests in mouse 583

ARONSSON, M., ALMASAN, K. FUXE, K. CINTRA, A., HÄRFSTRAND, A., GUSTAFSSON, J.-Å. & GANTEN, D. Evidence for the existence of angiotensinogen mRNA in magnocellular paraventricular hypothalamic neurons 585

JANSON, A. M., AGNATI, L. F., FUXE, K., CINTRA, A., SUNDSTRÖM, E., ZINI, I., TOFFANO, G. & GOLDSTEIN, M. GM1 ganglioside protects against the 10 methyl-4-phenyl-1, 2, 3, 6, -tetra-hydropyridine-induced degeneration of nigrostriatal dopamine neurons in the black mouse 587

JANSON, A. M., FUXE, K., SUNDSTRÖM, E., AGNATI, L. F. & GOLDSTEIN, M. Chronic nicotine treatment partly protects against 1-methyl-4-phenyl-2, 3, 6-tetrahydropyridine-induced degeneration of nigrostriatal dopamine neurons in the black mouse 509

Author and subject index 593